Number 1 2 3	41 51	(((stream\$3 or datastream\$3) and ((receiv\$ or send\$) adj3 (self or itself))) and ((stream\$3 or datastream\$3).clm.)) and (709/\$.ccls. or 719/\$.ccls.) ((stream\$3 or datastream\$3) and ((receiv\$ or send\$) adj3 (self or itself))) and (719/\$.ccls) ((stream\$3 or datastream\$3) and ((receiv\$	USPAT; US-PGPUB USPAT; US-PGPUB	2004/08/13 16:10 2004/08/13 17:00
3	51	or send\$) adj3 (self or itself))) and ((stream\$3 or datastream\$3).clm.)) and (709/\$.ccls. or 719/\$.ccls.) ((stream\$3 or datastream\$3) and ((receiv\$ or send\$) adj3 (self or itself))) and (719/\$.ccls)	US-PGPUB USPAT;	16:10 2004/08/13
3		(stream\$3 or datastream\$3).clm.)) and (709/\$.ccls. or 719/\$.ccls.) ((stream\$3 or datastream\$3) and ((receiv\$ or send\$) adj3 (self or itself))) and (719/\$.ccls)	USPAT;	2004/08/13
3		(709/\$.ccls. or 719/\$.ccls.) ((stream\$3 or datastream\$3) and ((receiv\$ or send\$) adj3 (self or itself))) and (719/\$.ccls)	•	
3		((stream\$3 or datastream\$3) and ((receiv\$ or send\$) adj3 (self or itself))) and (719/\$.ccls)	•	
3		or send\$) adj3 (self or itself))) and (719/\$.ccls)	•	
	51	719/\$.ccis)		
	51	-		
	0.		USPAT;	2004/08/13
5		or send\$) adj3 (self or itself))) and (US-PGPUB	16:41
5		719/\$.ccls.)	0010102	10.41
-	0	((stream\$3 or datastream\$3) adj object)	USPAT;	2004/08/13
	U	with (send\$ or receiv\$) with (self or itself)	US-PGPUB	16:43
6	2	((stream\$3 or datastream\$3) adj3 object)	USPAT;	2004/08/13
•	_	with (send\$ or receiv\$) with (self or itself)	US-PGPUB	16:57
7	34	((stream\$3 or datastream\$3) adj2 object)	USPAT;	2004/08/13
'	34	with (self or itself)	US-PGPUB	16:44
8	1	((stream\$3 or datastream\$3) adj3 object)	EPO; JPO;	2004/08/13
0	1	, ,	•	16:58
		with (send\$ or receiv\$) with (self or itself)	DERWENT;	10:56
_	400		IBM_TDB	0004/00/40
9	493	((stream\$3 or datastream\$3) same ((receiv\$	EPO; JPO;	2004/08/13
		or send\$) same (self or itself)))	DERWENT;	17:00
			IBM_TDB	
10	89	((stream\$3 or datastream\$3) with ((receiv\$	EPO; JPO;	2004/08/13
		or send\$) with (self or itself)))	DERWENT;	17:09
Ì			IBM_TDB	
11	5	((stream\$3 or datastream\$3) same class	USPAT;	2004/08/13
		same ((receiv\$ or send\$) with (self or itself)))	US-PGPUB	17:10
-	2540	(stream\$3 or datastream\$3) with class	USPAT;	2004/01/21
			US-PGPUB	17:01
-	404	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
		(instance or object)	US-PGPUB	17:01
_	1	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
		(instance or object) with populat\$	US-PGPUB	17:02
-	40	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
		(instance or object) with receiv\$	US-PGPUB	17:03
_	0	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
	-	(instance or object) with receiv\$ with self	US-PGPUB	17:03
_	1	(stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
	•	(instance or object) with receiv\$ with	US-PGPUB	17:04
		identifier	33.3.32	
,	20	((stream\$3 or datastream\$3) with class with	USPAT;	2004/01/21
-	20	(instance or object)) same send\$ same	US-PGPUB	17:15
		receiv\$	30-1 GF 0B	*****
_	63	(stream\$3 or datastream\$3) with class	USPAT;	2004/01/22
-	63	1	US-PGPUB	
	40	same send\$ same receiv\$		09:51
-	49	(stream\$3 or datastream\$3) with class	USPAT;	2004/01/22
		same populat\$	US-PGPUB	14:10
-	49	((stream\$3 or datastream\$3) with class) same populat\$	USPAT; US-PGPUB	2004/01/22 12:58

<u></u>				
-	11	("5301320" "5721908" "5737607"	USPAT	2004/01/22
		"5890133" "5907704" "5920703"		09:58
		"5953707" "6085198" "6092118"		
		"6289345" "6295538").PN.		
-	26	((stream\$3 or datastream\$3) and	USPAT;	2004/01/22
		class).ti,ab. and 709/\$.ccls.	US-PGPUB	10:40
-	5	("5650825" "5768539" "5790753"	USPAT	2004/01/22
		"5978855" "6212327").PN.		10:15
•	7	("5347653" "5708828" "5742818"	USPAT	2004/01/22
		"5745906" "5832275" "5915112"		10:20
		"5951638").PN.		
-	5	("5925100" "5950006" "5987497"	USPAT	2004/01/22
		"5987514" "5995972").PN.		10:35
-	7872	(active or self-descri\$) with (stream\$3 or	USPAT;	2004/01/22
		datastream\$3)	US-PGPUB	13:01
-	23	(active or self-descri\$) with (stream\$3 or	USPAT;	2004/01/22
		datastream\$3) with class	US-PGPUB	13:00
-	1	("5949614").PN.	USPAT;	2004/01/22
		(UCOCOOCCII) DM	US-PGPUB	10:49
•	1	("6253256").PN.	USPAT;	2004/01/22
	670000	// 4	US-PGPUB	12:58
-	672860	((stream\$3 or datastream\$3) ajd3 class)	USPAT;	2004/01/22
	054	((-4	US-PGPUB	12:59
-	951	((stream\$3 or datastream\$3) and class)	USPAT;	2004/01/22
	007	.clm.	US-PGPUB	12:59
-	227	((stream\$3 or datastream\$3) and class)	USPAT; US-PGPUB	2004/01/22
	91	.ti,ab. (((stream\$3 or datastream\$3) and class)		12:59 2004/01/22
-	91	.clm.) and (((stream\$3 or datastream\$3) and	USPAT; US-PGPUB	12:59
		class) .ti,ab.)	U3-PGPUB	12:55
	1	(active or self-descri\$) with (stream\$3 or	USPAT;	2004/08/13
-	·	datastream\$3) with class with (restor\$ or	US-PGPUB	08:40
		reconstruct\$)	00-1 01 01	00.40
_	922	((active or self-descri\$) and (stream\$3 or	USPAT;	2004/01/22
_	322	datastream\$3)).ti,ab.	US-PGPUB	14:27
_	O	((((stream\$3 or datastream\$3) and class)	USPAT;	2004/01/22
	•	.clm.) and (((stream\$3 or datastream\$3) and	US-PGPUB	13:02
		class) .ti,ab.)) and (((active or self-descri\$)	3313132	10.0_
		and (stream\$3 or datastream\$3)).ti,ab.)		
	44417	709/\$.ccls. or 719/\$.ccls. or 707/\$.ccls.	USPAT;	2004/01/22
			US-PGPUB	14:34
-	26	((((stream\$3 or datastream\$3) and class)	USPAT;	2004/01/22
		.clm.) and (((stream\$3 or datastream\$3) and	US-PGPUB	13:29
		class) .ti,ab.)) and (709/\$.ccls. or 719/\$.ccls.		
		or 707/\$.ccls.)		
-	14	("4506326" "4509119" "4604686"	USPAT	2004/01/22
		"4631664" "4642762" "4747072"		13:20
		"4769772" "4791550" "4811199"		
		"4821220" "4841433" "4853843"		
		"4866634" "4949251"). PN .		
-	78	5161225.URPN.	USPAT	2004/01/22
				13:21
-	751560	active datastream	USPAT;	2004/01/22
	·		US-PGPUB	13:30

	2		1.00.4	0004/04/00
•	2	active adj datastream	USPAT;	2004/01/22
	405		US-PGPUB	13:30
-	495	active adj message	USPAT;	2004/01/22
			US-PGPUB	13:31
-	544291	(active adj message) extract\$	USPAT;	2004/01/22
	_		US-PGPUB	13:32
-	4	(active adj message) with extract\$	USPAT;	2004/01/22
	_		US-PGPUB	13:32
-	1	(active adj message) with self	USPAT;	2004/01/22
			US-PGPUB	13:33
-	20	(active adj message).ti,ab.	USPAT;	2004/01/22
	_		US-PGPUB	13:33
-	5	("5226131" "5241635" "5353418"	USPAT	2004/01/22
		"5442797" "5499349").PN.	·	13:42
•	188	(stream\$3 or datastream\$3) with class	EPO; JPO;	2004/01/22
			DERWENT;	14:11
			IBM_TDB	
-	0	(stream\$3 or datastream\$3) and class and	EPO; JPO;	2004/01/22
	-	populate	DERWENT;	14:13
			IBM_TDB	
•	24	(stream\$3 or datastream\$3) and class and	EPO; JPO;	2004/01/22
		self	DERWENT;	14:13
			IBM_TDB	
-	8	((first adj class) and (stream\$3 or	USPAT;	2004/01/22
		datastream\$3)).ti,ab.	US-PGPUB	14:46
-	286	(active or self-descri\$) same (stream\$3 or	USPAT;	2004/01/22
		datastream\$3) same class same (restor\$ or	US-PGPUB	14:41
		reconstruct\$)		
-	0	719/3.ccls.	USPAT;	2004/01/22
			US-PGPUB	14:34
-	3838	719/3\$.ccls.	USPAT;	2004/01/22
			US-PGPUB	14:34
-	3	((active or self-descri\$) same (stream\$3 or	USPAT;	2004/01/22
		datastream\$3) same class same (restor\$ or	US-PGPUB	14:34
		reconstruct\$)) and 719/3\$.ccls.		
•	477	(active or self-descri\$) same (stream\$3 or	USPAT;	2004/01/22
		datastream\$3) same class	US-PGPUB	15:28
-	3838	719/3\$.ccls. and 719/3\$.ccls.	USPAT;	2004/01/22
			US-PGPUB	14:41
-	9	719/3\$.ccls. and ((active or self-descri\$)	USPAT;	2004/01/22
		same (stream\$3 or datastream\$3) same	US-PGPUB	14:41
		class)		
-	91591	((stream\$3 or datastream\$3) adj	USPAT;	2004/01/22
		(("5301320" "5721908" "5737607"	US-PGPUB	14:47
		"5890133" "5907704" "5920703"		
		"5953707" "6085198" "6092118"		
		"6289345" "6295538").PN.) object).ti,ab.	1	
-	138	((stream\$3 or datastream\$3) adj2	USPAT;	2004/01/22
		object).ti,ab.	US-PGPUB	14:47
-	7	719/3\$.ccls. and (((stream\$3 or	USPAT;	2004/01/22
		datastream\$3) adj2 object).ti,ab.)	US-PGPUB	14:47
-	651	((first adj class) or active) same (stream\$3	USPAT;	2004/01/22
		or datastream\$3) same class	US-PGPUB	15:29

-	58	(709/\$.ccls. or 719/\$.ccls. or 707/\$.ccls.) and	USPAT;	2004/01/22
		(((first adj class) or active) same (stream\$3	US-PGPUB	15:29
		or datastream\$3) same class)		
-	581	((first adj class) or active) same (stream\$3	USPAT;	2004/01/22
		or datastream\$3) same object	US-PGPUB	15:30
<u>-</u>	104	(709/\$.ccis. or 719/\$.ccis. or 707/\$.ccis.) and	USPAT;	2004/01/22
		(((first adj class) or active) same (stream\$3	US-PGPUB	15:30
		or datastream\$3) same object)		
<u>-</u>	165	((first adj class) or active) with (stream\$3 or	USPAT;	2004/01/22
		datastream\$3) with object	US-PGPUB	15:30
_	15	(709/\$.ccls. or 719/\$.ccls. or 707/\$.ccls.) and	USPAT;	2004/01/22
		(((first adj class) or active) with (stream\$3	US-PGPUB	15:37
		or datastream\$3) with object)	33.3.32	10.0.
_	16	719/3\$.ccls. and (((first adj class) or active)	USPAT;	2004/01/22
_		same (stream\$3 or datastream\$3) same	US-PGPUB	15:37
		object)	O3-FOFOB	13.37
l _	203	((active or self-descri\$ or self) with	USPAT;	2004/08/13
-		(stream\$3 or datastream\$3)) same receiv\$	US-PGPUB	08:43
		same send\$	CO-FGF OB	00.43
_	37	((active or self-descri\$) with (stream\$3 or	USPAT;	2004/08/13
-	J.	datastream\$3)) same receiv\$ same send\$	US-PGPUB	08:58
		same (self or itself)	CO-FCFOB	00.50
_	1507	(stream\$3 or datastream\$3) same ((receiv\$	USPAT;	2004/08/13
-	1307	or send\$) with (self or itself))	US-PGPUB	08:59
	243	(stream\$3 or datastream\$3) same ((receiv\$	USPAT;	2004/08/13
-	243	or send\$) adj3 (self or itself))	US-PGPUB	09:00
	70			2004/08/13
-	78	(stream\$3 or datastream\$3) with ((receiv\$	USPAT; US-PGPUB	1
	1	or send\$) adj3 (self or itself))		09:00 2004/08/13
-	1	(stream\$3 or datastream\$3) with ((receiv\$	USPAT; US-PGPUB	09:01
	64550	or send\$) adj3 (self or itself)) same class		2004/08/13
-	61552	(stream\$3 or datastream\$3).ti,ab.	USPAT; US-PGPUB	
	_		1	09:02
-	1	((stream\$3 or datastream\$3) with ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself)) same class)	US-PGPUB	09:02
		and ((stream\$3 or datastream\$3).ti,ab.)		0004/00/40
-	36	((stream\$3 or datastream\$3) with ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself))) and (US-PGPUB	12:35
		(stream\$3 or datastream\$3).ti,ab.)		
-	0	5528762.URPN.	USPAT	2004/08/13
				09:14
•	0	5528762.URPN.	USPAT	2004/08/13
				09:14
-	13	("4922486" "4933933" "5008882"	USPAT	2004/08/13
		"5038386" "5058001" "5101480"		09:14
		"5105424" "5138615" "5181017"		
		"5204949" "5243596" "5333268"		
		"5333279").PN.		
-	480	((stream\$3 or datastream\$3) and ((receiv\$	USPAT;	2004/08/13
		or send\$) adj3 (self or itself))) and (US-PGPUB	16:21
		(stream\$3 or datastream\$3).clm.)		
-	33636	709/\$.ccis. or 719/\$.ccis.	USPAT;	2004/08/13
			US-PGPUB	12:36